LOST.

The Mysore Government Promissory Note No. F. 002944 the 6½ per cent loan of 1940 for Rs. 1,000 originally standing in the name of (party not known) and last endorsed to the Indian Bank, Ltd., Proprietor, by whom it was never endorsed to any other person, having been lost, notice is hereby given that payment of the above note and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of a duplicate in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned security.

Name of person notifying—The Indian Bank, Limited.

Residence—Bangalore City.

A. R. SUNDARESAN,
Agent.

THE BANGALORE WOOLLEN, COTTON AND SILK MILLS, Co., LTD.

NOTICE TO SHAREHOLDERS.

Dated 26th March 1938.

Notice is hereby given that a Dividend at the rate of 8 per cent per annum, free of tax, has been declared on Ordinary Shares for the half-year ending 31st December 1937, and is now payable at the Registered Office of the Company, Agraram Road, Bangalore City.

BINNY & Co. (MADRAS), LTD.,
Agents, Secretaries and Treasurers.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 19925-64, *dated 8th March* 1938.

To

The Firms dealing in Air Compressors, etc.

Enquiry No. 2751.

ELECTRIC MOTOR DRIVEN AIR COMPRESSORS, SHIMSHA NEW PROJECT.

GENTLEMEN,

I write to request you to quote your best prices and the earliest time of delivery for the machinery described below :—

Item 1. 3—Electric Motor Driven Portable Air Compressor units, each unit capable of delivering about 180 C.ft. of compressed air per minute at 100 lbs. per Sq. inch to operate 6 Riveting Hammers, the maximum diameter of the rivets to be handled being ⅞". The air compressor unit shall comprise of one air cooled air compressor complete with all accessories and one squirrel cage induction motor of adequate power complete with the starting gear as specified below.

Item 2. 25—Pneumatic Riveting Hammers with a capacity to take rivet sets up to and including ⅞" similar to Bover Riveting Hammer size No. 40 as illustrated and described on page 3, section I of catalogue No. 46 of the Consolidated Pneumatic Tool Co., Ltd., London.

Item 3. 4—Pneumatic Non-reversible Drill and Reamer, with a capacity for drilling up to 1" dia. and reaming up to 15/16" dia. similar to the drill size 326-450 illustrated on page 6 of section 5 of the catalogue referred to under item 2.

Item 4. 32—Fabric Pneumatic Tool Hose 3-ply in lengths of 50 feet (suitable for the above pneumatic riveting hammers and drills specified under items 2 and 3 above, complete with couplings.

The above compressor shall be of the 2-stage air cooled type direct coupled through a flexible coupling to a squirrel cage induction motor of suitable rating and capable of delivering about 180 C.ft. per minute of dust free air at a pressure of 100 lbs. per Sq. inch. The air compressor unit shall be complete with air cooled inter-cooler, automatic constant speed unloader air-filter silencer, lubricating pump, pressure gauge and air receiver with six out-lets. The design of the compressor should be simple, rugged and reliable. Proper inter-cooling arrangement between the 2-stages of compression shall be provided to cool the compressed air to a temperature within a few degrees of the low pressure in-take and to discharge the finally compressed air at a very low temperature so as to increase the life of the valves and other moving parts of the compressor unit. All cylinder

assemblies of the compressor shall be accurately balanced and the crank shaft carefully counter-balanced so as to assure smooth and quiet running. All parts of the compressor shall be easily accessible for inspection and adjustment.

The motor to be supplied with the compressor plant shall be of the totally enclosed type with end-shield bearings and designed for operation on 220-volts, 3-phase, 25-cycle system. The rotor should be of the squirrel cage type. Each motor must be supplied complete with an auto-transformer type of starter with oil immersed starting switch fitted with no-volt and over-load relays and an ammeter. The motor shall be suitable for working continuously on full load without the temperature rise of any of its parts exceeding 35°C., above an ambient temperature of 40°C. The B.H.P. of the motor must be specified in the tender. The motor shall be insulated throughout with grade "B" insulation and shall conform to the latest standards of the A.I.E.E. or B.E.S.A.

The air compressor unit complete with all its accessories shall all be mounted on a welded steel chassis fitted with wheels and a draw-bar. The steel chassis shall be provided with enclosing top and sides to protect the compressor unit against all weather conditions. Arrangement to open the side doors at any time and lifting hooks on the chassis shall also be provided. A tool box with necessary tools required for the operation of the compressor unit shall also be mounted on the steel chassis.

Notwithstanding anything said herein, the air compressor unit shall be complete in all details. The tenderers should furnish along with their quotations a price list of spare parts recommended by the makers as suitable for 2 years' normal working of the plant, which list should be as complete as possible and should make ample provision for all contingencies.

The tenderers shall quote for the materials based on delivery, C.I.F. Madras, and the guaranteed time of delivery of the machinery and tools should be specified by the tenderers. As the materials are required urgently, the terms of delivery will also count while considering the acceptance of the tenders.

Full details and illustrated literatures relating to the equipment offered should be furnished along with your tender.

This enquiry will close on the 18th of April 1938.

ERRATUM.

No. S. P. C. 21810-44, *dated* 28*th March* 1938.

To

The Firms dealing in Air Compressors, etc.

Enquiry No. 2751.

GENTLEMEN,

This Office letter No. 19925-64, dated 8th March 1938, calling for quotations for Electric Motor Driven Air Compressors for Shimsha New Project.

The closing date of the above enquiry is extended from 18th April 1938 to 2nd May 1938.

No. S. P. C. 21686-710, *dated* 28*th March* 1938.

To

The Firms dealing in Induction Motors.

Enquiry No. 2759.

100 H.P. INDUCTION MOTOR FOR KRISHNARAJ SAGAR—E. D. 533.

GENTLEMEN,

In continuation of this Office Notification No. 20439-63, dated 11th March 1938, inviting quotations for the above Motor, I write to request you to quote for a suitable "Starting Gear" also for the motor required under the above enquiry.

The starting gear should be of the auto-transformer type with oil immersed starting switch and fitted with No-volt and overload relays and an ammeter.

I am also sending herewith a copy of the original Enquiry for ready reference.

No. S. P. C. 21961-2, *dated* 28*th March* 1938.

To

The Firms dealing in Insulators, Knife Switch, etc.

Enquiry No. 2768.

SUPPLY OF INSULATORS, KNIFE SWITCH, ETC., TO KRISHNARAJ SAGAR DIVISION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Insulators, Knife Switch, etc., for Krishnaraj Sagar Division," with the above enquiry Number.

This enquiry will be closed on the 12th April 1938.

Schedule:

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Belagola.	
1	Insulators with pins brown for 5,000 voltage for distribution line	50 Nos.		
2	Terminals 200 Amp.	12 „		
3	Do 100 Amp.	12 „		
4	D.P.S.T. Switch knife 30 Amp. mounted on slate base front connected with fuse	1 „		

No. S. P. C. dated 28th March 1938.

To

The Firms dealing in C. I. Tees, Bends, etc.

Enquiry No. 2769.

SUPPLY OF C. I. TEES, BENDS, ETC., REQUIRED FOR KRISHNARAJ SAGAR DIVISION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for C. I. Tees, Bends, etc., for Krishnaraj Sagar ", with the above enquiry Number.

This enquiry will be closed on the 12th April 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Belagola.	
1	15″ C. I. Tee with all socket and tested to 600 feet head	2 Nos.		
2	15″ C. I. Collar tested 600 feet head	4 „		
3	15″ Sluice valve having flanged ends patented by Messrs. Glenfield and Kennedy with Spigot and Socket end tail pieces hand wheel packing and bolts, etc., tested to 600 feet	2 „		
4	15″ C. I. Bend 90° with socket and spigot end tested to 600 feet head	2 „		
5	Rubber insertion $\frac{1}{8}$″ thick	100 lbs.		
6	Hemp packing yarn	1 Cwt.		
7	15″ diameter 90° flanged bend	1 No.		

No. S. P. C. 21545-74, *dated* 25*th March* 1938.

To

The Firms dealing in Flood-Light Projectors.

Enquiry No. 2773.

FLOOD-LIGHT PROJECTORS FOR PALACE ILLUMINATION. E.D. 535.

GENTLEMEN,

I write to request you to be so good as to intimate your best prices and the earliest time of delivery for the following materials :—

Item (1) 12—Flood-Lighting Projectors, totally enclosed, with heavily stippled clear lens suitable for taking 750 to 1,000 watts general service "Mazda" lamps, with wide angle composite one piece solid glass silver plated reflector.

Item (2) 6—Spare Reflectors for the above.

Item (3) 12—Flood-Light Projectors, totally enclosed, fitted with clear plain lens, suitable for taking a 1,000 watts flood-lighting "Mazda" G-40 lamp, with silver plated Parabolic Reflector, to produce a medium angle-beam of light.

Item (4) 12—Spare Reflectors for the above.

The above projectors shall be built of single piece sheet-copper casing with single piece door of the same material. The door shall be provided with suitable clamping device and the reflector shall be supported by clamps fitted with asbestos cushions to prevent its breakage. The lenses shall be of heat-resisting glass so as to withstand extreme temperatures ranging from 32 to 212° F.

A—focusing mechanism shall be provided for adjusting the stocket and lamp to any required position and also to effect horizontal movement of the lamp if necessary.

The projectors shall be supported by means of a universally adjustable swiveled crow foot base of cast bronze and mounted on trunnion bracket.

The projectors under Items 1 and 3 shall be suitable for working distances up to 175 ft. and 800 ft. respectively.

The prices to be quoted should be for delivery f.o.r., Mysore, and should be exclusive of duty as these will be let in free of customs duty.

This enquiry will close on the 25th of May 1938.

No. S. P. C. 21666-85, *dated* 28*th March* 1938.

To

The Firms dealing in Water Meters.

Enquiry No. 2774.

WATER METERS.

GENTLEMEN,

Please be good enough to intimate your best price f.o.r., Bangalore City, and the earliest time of delivery for the materials described below :—

(1)	Water Meters	$\frac{1}{2}''$	.. 27
(2)	Do	$\frac{3}{4}''$	.. 24
(3)	Do	$1\frac{1}{2}''$	.. 2

N.B.—(i) Detailed specification of the meters offered should accompany your quotation.

(ii) No sample need be sent unless called for.

(iii) Quotations for delivery from Indian stocks will be preferred.

(iv) The terms of delivery should be clearly specified.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchase being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Water Meters", with the above Enquiry No.

This enquiry will be closed on the 15th April 1938.

No. S. P. C. 21797-809, *dated* 28*th March* 1938.

To

The Firms dealing in Tents.

Enquiry No. 2778.

GENTLEMEN,

Please be good enough to intimate your best prices f.o.r., Bangalore City, and the earliest time of delivery for the materials described below :—

(1) Miniature Swiss Cottage tent of size 14′×14′ square ended of double fly, three folds of cloth throughout, double fly bathroom at back, double fly to verandah

in front siabans at sides, wall of inner-fly and bath-room, 5 ft. high rigid and detachable, two shuttered net windows in side walls, with durries for verandah and bathroom chick kanat for front verandah, complete with durrie for main room, chicks, purdahs salitas, bamboo poles, wooden pegs and mallet .. One.

(2) Miniature Swiss Cottage tent of size 10′×10′ square ended of double fly, etc., as above .. One.

(3) General Service tent, Government pattern of size 14′×14′, single-fly three folds of cloth throughout, outside white drill or doosooti, intermediate fold light blue and inside lining yellow sheeting. Both ends are provided with overlapping curtain fitted with eyelets and cord loops for lacing and corners of wall are open, wall one foot high, complete with bamboo poles, jointed, wooden pegs, mallet and gunny bags, approximate weight 160 lbs. .. Four.

N.B.—(1) Quotations for delivery of the tents from ready stocks will be preferred.

(2) Latest catalogues describing the tents you are manufacturing together with your price-lists for same may be furnished for our reference.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for tents", and sent to the undersigned with the above Enquiry No.

This enquiry will be closed on the 11th April 1938.

No. S. P. C. 21911-41, *dated* 28*th March* 1938.

To

The Firms dealing in Electrical Equipment.

Enquiry No. 2783.

MATERIALS REQUIRED FOR INCREASING THE CAPACITY OF THE SWITCHING EQUIPMENT OF THE NORTH FORT GATE TRANSFORMER HOUSE OF MYSORE PALACE—E. D. 536.

GENTLEMEN,

I write to request you to be so good as to intimate your best prices and the *earliest time of delivery* for the equipment noted below:—

1. ONE—Oil circuit Breaker, triple pole, single throw, manually operated, 600-volts, 2,500 amps., rupturing capacity, 20,000 K. V. A. with two over-load lips and time limit fuses for panel mounting. The breaker being mounted on 1¼″ pipe frame work at the back of the panel with the operating handle in front, with necessary connecting levers, bell cranks and oil for the first filling. Thickness of the panel on which the breaker is to be mounted is 2″ and the over-load trip coils are to be calibrated to act on 3, 5, 7·5 and 10 amps.

2(*a*) ONE—Complete set spare contacts, stationary and moving, for the oil circuit breaker of Item 1.

(*b*) THREE—Spare terminal bushings for the Oil Circuit breaker of Item 1.

3. SIX—Disconnecting knife switches, single-pole, single throw, 2,500 amps., 600-volts, back-connected mounted on 2″ marble base suitable for mounting on 1¼″ pipe frame work, with necessary clamps, terminals, bolts and nuts complete.

4. ONE—Ammeter A.C., 600-volts, 25 cycles to read 0—2,500 amps., with current transformers of ratio 2500 : 5. Back connected suitable for mounting on a 2″ thick panel.

5. ONE—Ammeter change-over switch 3-way and off to indicate current in any one of the three phases, suitable for 2″ panel mounting.

6. THREE—Instrument current transformers, indoor type, with brackets suitable for 1¼″ pipe frame mounting 2,500-5 amps. ratio, insulated for 600-volts. (The current transformers should be of sufficient capacity to carry the load imposed by the overload trip coils and the ammeter).

7. 1,100—Feet Cable underground, 3 core each of 250,000 C. M. high conductivity, copper stranded, V. C. insulated, lead covered, double steel tape armoured, jute served and compounded overall for a working pressure of 1,000-volts A.C.

8. TWO—Junction boxes for the above 3-core cable, out-door type with bushings, wool, etc., complete.

The materials should conform to the latest standard s of A.I.E.E. and B.E.S.A. and full particulars of the materials offered with all technical data, such as rupturing capacity of the oil circuit breakers, phase angle error curves of the instrument transformers, should be submitted with the tenders.

The prices to be quoted should be on the basis of c.i.f., Madras.

Your quotation *in duplicate* should reach this office on or before the 30th April 1938.

No. S. P. C. 21972-86, *dated 29th March* 1938.

To

The Firms dealing in Rolled Steel Girders.

Enquiry No. 2784.

ROLLED STEEL GIRDERS FOR SHIMSHA—NEW PROJECT.

GENTLEMEN,

Please be good enough to intimate your best price for delivery f.o.r., Maddur Railway Station, and the earliest time of delivery for the materials described below :—

Particulars	Weight per foot run—lbs.	Length required—ft.	Quantity
	Lbs.	Ft.	
1. Rolled Steel Girders tested, conforming to British Standard Specifications—			
(*a*) 12″ × 6″ section	54	43	4
Do	54	42½	4
Do	54	34	20
(*b*) 9″ × 4″ section	21	23	14
Do	21	22½	24
Do	21	16	4
(*c*) 6″ × 3″ section	12	41	4
Do	12	23	23
Do	12	22	6
Do	12	16½	36
Do	12	8	100

N.B.—The name of the manufacturers and the time required to supply—whether immediately from stock or otherwise—should be specified, without which the tenders will not be *considered.*

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The quotations should be superscribed " Quotations for Rolled Steel Girders—Shimsha New Project " with the above enquiry number.

This enquiry will be closed on the 16th April 1938.

Yours faithfully,

T. RANGASWAMI,

Secretary,

Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries, during the week ending Saturday the 29th January 1938.

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of order
Local.			Messrs :—	Rs. a. p.
4238	Hook gauges with " Vernier " scale to read 100th of an inch comprising brass rods with gun-metal fixing bracket and fittings suitable for a range of 24″ from 0.	Two	Glenfield & Kennedy, Ltd., Bombay.	177 0 0 per set, f.o.r Bangalore.
2543				
4242	Carded cotton	4,000 lbs.	Sri Krishnarajendra Mills, Ltd., Mysore.	0 7 6 per lb. f.o.r. Bangalore City.
2665				
4243	Petrolatum D (petroleum jelly amber coloured).	18,000 lbs.	Silvertown Lubricants (India) Ltd., Madras.	0 2 8 do
2673				
4244	Pressed steel tank size 12′×4′×4′ having an approximate capacity of 11,200 gallons.	One	Binny & Co., (Madras) Ltd., Madras.	390 0 0 f.or. Chikkabanavar.
2673				
4246	Centrifugal pump, single stage 5″ suction and 4″ delivery capacity 500 gallons of water against a total head of 50′.	One	Kirloskar Brothers Ltd., Bangalore City.	625 0 0 do
2672				
	Deepwell pump self oiling gears totally enclosed, back geared 7 : 1 complete with one 3½″ brass body cylinder capable of delivering 500 gallons of water per hour at a total head of 100 ft.	One	Do do ..	175 0 0 do
	Electric motor, Crompton Parkinson, Squirrel cage Induction, 3 phase, 25 cycles, 220 volts, 700 r.p.m. with belt and pully, and also chain drive arrangement.	One	Do do ..	185 0 0 do
4247	Counter Scale, Avery No. 4125, capacity 250 lbs. on platform and 25 lbs. in the scoop.	One	W. & T. Avery Ltd., Madras ..	134 0 0 f.o.r. Bangalore
2495				
4250	Cocoanut Oil	50 tons	P. Narayan Vaijappa Bhandary & Son, Cochin.	70 0 0 per candy of naked oil, ex-Godown, Cochin.
4250A	Glycerine	3,500 lbs.	Imperial Chemical Industries (India) Ltd., Madras.	2,576 3 0 lot, f.o.r. Bangalore.
2428	,,			
Foreign.				
2387	Varnish, black, Insulating quick backing furnished in gallon cans.	42 gallons	International General Electric Co., Bangalore City.	$ 1·25 per gallon, f.a.s. New York.
	Glyptal blue gray for indoor use with No. 1500 thinner furnished in one gallon can.	6 ,,	Do do ..	$ 4·40 do do
	Glyptal black for underground use with G. E. 1500 thinner furnished in one gallon can.	5 ,,	Do do ..	$ 3·50 do do
	G. E. 1500 thinner furnished in one gallon can.	4 ,,	Do do ..	$ 1·50 do do
2388	Control cable four conductors, black, white, red and green coloured each 65 m.m. dia. vulcanized rubber insulated for 600 volts service.	1,200 ft.	A.C.E.C. India Ltd., Bombay ..	£ 16 4 0 lot, c.i.f. Madras.
2574				
2390	Induction Voltage Regulators 60 K. V. A., 2,300/4,600 volts, 3 phase, 3 wire, 25 cycles complete.	Three	Westinghouse Electric Co. of India Ltd., Bombay.	Rs. 7,250 0 0 each, c.i.f. Madras.
2454				

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore both in India and Foreign Countries during the week ending Saturday the 5th February 1938.

Local.			Messrs :—	Rs. a. p.
4251	Portable adding machine, Remington latest Electric Model No. 93101-5 with direct subtraction and with a carriage length of 5″ and adding capacity 999,999,999.	One	Remington Rand (Inc.) Bangalore City.	575 0 0 free delivery in Bangalore.
2681				
4253	Portable U. V. R. Lamp, Hanovia, New Style to be worked off A.C. and fitted with S. 250 arc tube and a Rotable reflector—finished in ivory.	One	Malgham Bros., Bombay ..	305 0 0 f.o.r. Bangalore City.
2472				
4254	Instrument cabinets size height 66″×W42″×D18″, Double glass doors fitted with three-way locking arrangement handles, etc., brass nickel plated.	Two	The Mysore Metal Industries Ltd., Bangalore City.	180 0 0 each, f.o.r. Mysore
2652				
4255	Casein, finely grounded and packed in double gunny bags of 1½ cwts. each.	8 tons	Casein Trading Co., Anand ..	250 0 0 per ton, f.o.r. Anand.
2650				
3809	Scarlet Blankets with whipped ends 95″×60″ weight 4 lbs. 2 oz. quality No. 3018.	46	The Bangalore Woollen Cotton and Silk Mills Co., Bangalore.	7 7 0 each, free delivery at the Hospital.
Extn.				

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 12th February 1938.

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of order
Local.			Messrs :	Rs. a. p.
4256	Rosin, K. Grade Hercules Havero best American make packed in steel drums containing about 500 lbs.	15 cwts.	Havero Trading Co., Ltd., Madras.	15 0 0 per cwt. f.o.r. Shimoga.
2648				
4257	Steel suspension links "D" 2⅜" diameter by 3'-0" long each with a nut at each end.	Two	Ransomes & Rapier, Ltd., Calcutta.	115 0 0 lot, f.o.r. Bangalore.
2592				
4258	Bleached long cloth 40 yards to a piece 33/34" wide.	3,000 yds.	Yacoob Sheriff & Co., Bangalore	7 10 0 per piece of 40 yds. f.o.r. Bangalore City.
2663				
4259	Surveyor's level's consisting of a telescope spirit levels levelling base, mirror level reader and one piece tripod without circle complete with accessories and box.	Two	P. Orr & Sons, Ltd., Madras	400 0 0 each, f.o.r. Mysore.
2389				
	Zeiss folding levelling staff with English divisions, with distinct graduations, ends of staff protected by steel cups with stiffening ribs and carrying handle length about 13 ft. weight about 10 lbs.	Four	Adair Dutt & Co., Ltd., Madras	75 0 0 do
4260	Gauge cloth, bleached 25" wide × 18 yds. to a piece.	3,000 pieces	Jagunnath Pramanick & Bros., Calcutta.	1 2 6 per piece nett f.o.r. Bangalore City.
2664				
4261	Groundnut Oil (packed in returnable drums).	30 tons	Nu Pa Seshu Iyer & Co., Bangalore City.	205 0 0 per ton, free delivery at the Soap Factory.
2677				
4262	C. I. Boxes for cutouts 30 amps. small size.	2,180	Eswara Iron Foundry, Bangalore City.	1 14 0 each, free delivery at C. P. S. Central Stores, Bangalore City.
2659				
	C. I. Boxes for cutouts 60 amps. small size.	112	Sri Krishna Engineering Works, Bangalore City.	4 8 0 do do
4263	Lime	170 tins	Mr. C. Veerabhadriah, Chikmagalur.	0 11 6 per tin of 32 lbs. nett, free delivery.
2647				
	Lime	5,900 tins	Modern Lime Works, Bangalore City.	0 13 6 do do
Foreign.				
2393	Induction Voltage Regualtor 60 K. V. A. 2,300/4,600 volts, 3 phase, 3 wire, 25 cycles complete.	One	Westinghouse Electric Co. of India, Ltd., Bombay.	7,250 0 0 c.i.f. Madras.
2444	Swicth-gear materials required for providing a voltage regulator consisting of :—			
2441				
	Item (1) Single Panel Switch-board of natural black slate 1½" thick and 90" high.	One	Westinghouse Electric Co. of India, Ltd., Bombay.	$ 829·00 lot, c.i.f. Madras.
	Item (2) Single panel Switch-board similar to item (1) with instruments and equipment.	One	Do do do ..	$ 710·00 lot, c.i.f. Madras.
	Item (3) Ground detector electrostatic type, 3 phase, 25 cycles, 2,300 volts.	One	Do do do ..	$ 73·00 lot, c.i.f. Madras.
	Item (4) Necessary copper bus-bars 2" × ¼" with bus-bar supports and cables for connections.	Lot	Do do do ..	$ 29·00 lot, c.i.f. Madras.

T. RANGASWAMI,
Secretary,
Stores Purchase Committee.